



REPUBLIC OF THE PHILIPPINES  
**DEPARTMENT OF BUDGET AND MANAGEMENT**  
GENERAL SOLANO STREET, SAN MIGUEL, MANILA

**REQUEST FOR QUOTATION**

The Department of Budget and Management (DBM), through its Administrative Service (AS), will undertake a Small Value Procurement for the "*Rental of Sound System, Audio and Light Effects, and LED Wall*", in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

Name of Project : Rental of Sound System, Audio and Light Effects and LED Wall

Approved Budget : One Hundred Fifty Thousand Pesos Only (P150, 000.00)  
for the Contract

Specifications : See Annex "B" for the Technical Specifications

Location : G/F DBM Building III, Gen. Solano St., San Miguel, Manila

Delivery Date : August 12, 2018

Interested suppliers are required to submit their valid and current Mayor's Permit, Latest Income/Business Tax Return, PhilGEPS Registration Number, Notarized Omnibus Sworn Statement, Technical Specifications (Annex "B"), along with the price quotation form (Annex "A") upon submission of quotation.

Award of contract shall be made to the bidder with lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Submission of quotation and eligibility documents is on or before 3:00 p.m. of **July 11, 2018** at the Administrative Service, Ground Floor, DBM Bldg. III, Gen. Solano St., San Miguel, Manila. Open submission may be submitted, manually or through facsimile at fax no. 735-1957.

For inquiries, you may contact us at tel. nos. 735-4902 or 657-3300 local 3115.

Very truly yours,

**RYAN S. LITA**  
Director IV, Administrative Service

## PRICE QUOTATION FORM

\_\_\_\_\_  
Date

The Administrative Service  
Department of Budget and Management  
Ground Floor, DBM Bldg. III, Gen. Solano St.,  
San Miguel, Manila

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Description	Specification	Quantity	Unit Price	Total Price
<b>Rental of Sound System, Audio and Light Effects, and LED Wall</b>	1. Main Speaker System			
	• Active Line Array Speakers	2		
	• Active Subwoofer	2		
	2. Delay Speaker System			
	• Powered Speakers for Drum Speakers	4		
	• 32- channel digital wireless mixer	1		
	• Tablet for digital wireless control	1		
	• Laptop (Audio playback)	1		
	3. Microphone System			
	• Wired Microphone	4		
	• Wireless Microphone	6		
	• Wireless Lapel Microphone	2		
	• Microphone stand	4		
	4. Lighting Gears and Effects			
	• RGBW Par LED	20		
	• 3x54 white Par LED	8		
	• Light stands	4		
	• Lights Controller	1		
	5. Multimedia			
	• P3 LED Wall (Size 16ft w x 12 h)	1 set		
	• P3 LED Wall (9ft w x	1 set		

	12h)			
<b>Note:</b> Please see attached Technical Specifications (Annex "B")				
				Total (inclusive of VAT)

(Amount in Words)

---



---

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

\_\_\_\_\_  
Name/Signature of Representative

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Contact No.

UNITS		SPECIFICATIONS
<b>MAIN SPEAKER SYSTEM</b>		
2	Active Line Array Speakers	Configuration: Line Array - 2 Way Built-in amplifier LF/HF: 600/300w RMS Built-in amplifier peak LF/HF: 1200/600W Frequency response: 65Hz - 20kHz Low Frequency woofer: 4x 6.5" with 1.5" VC High Frequency driver: 1x 1.4" Neodymium with 2.5" VC Maximum SPL cont/peak: 133dB Dispersion: 100 x 25 (H x V) Input impedance: 22kohm Crossover Frequency: 1.2kHz AC Power requirements: 640VA Input connector: XLR with link out Power cord: 5m PowerCon True1 Net Dimension (WxHxD): 190 x 1235 x 290mm
2	Active Subwoofer	18mm / 0.70" birch plywood enclosure 1200W RMS class D amplifier 460mm/18" custom B&C neodymium magnet with 75mm/3" coil Frequency response 36Hz - 100Hz Input panel with XLR in & link, volume, preset, delay, phase, GND lift SPL capability 139dB 4 swivel mount casters 3.15" on request 8 M10 fly points System type: Vented band pass Frequency response (-6dB) 36Hz - 100Hz Built-in Amplifier - cont: 800W RMS, max: 1200W RMS, peak: 2400W RMS Maximum SPL (continuous/peak) 135dB / 139dB
<b>DELAY SPEAKER SYSTEM</b>		
4	Powered Speakers for Drum Speakers	LF Driver: 14" HF Driver: 1.4" Power RMS (speaker): 900w Power Peak (speaker): 1800w SPL Db (speaker): 135.5 dB
<b>DELAY SPEAKER SYSTEM</b>		
1	32-channel digital wireless mixer	Type: Digital Inputs - Mic Preamps: 32 x XLR Phantom Power: 32 x Channels Inputs - Other: 2 x RCA (Aux), 6 x 1/4" TRS (Aux) Outputs - Main: 16 x XLR Outputs - Main: 16 x XLR Inputs - Digital: 2 x AES50, 32 x USB (96 Total Channels) Data I/O: Ethernet (X-Touch remote features), USB, MIDI I/O USB: 1 x Type B, 2 x Type A Computer Connectivity: USB (32 x 32) Faders: 25 x 100mm (Motorized) EQ Bands: 4-band Parametric (6-band on Mix Bus)

1	Tablet for digital wireless control	<p>WLAN Wi-Fi 802.11 a/b/g/n, dual-band  Bluetooth 4.0, A2DP  GPS No  Radio No  USB 2.0  Browser HTML5  - MP3/WAV player  - MP4/H.264 player  - Audio/video/photo editor  - Document viewer  (Minimum requirements)</p>
1	Laptop (Audio Playback)	<p>Battery Life 6-10 Hour  Wireless Connectivity  Wifi Processor Type  OTHER, Intel Core i3 System  Memory 4GB  Hard Disk (GB) 1TB  (Minimum requirements)</p>
<b>MICROPHONE SYSTEM</b>		
4	Wired Microphone	<p>Frequency Range 50 Hz to 15 kHz  Impedance 150 Ohms  Sensitivity -57.5 dBV/Pa at 1 kHz  Output Connectors 1 x 3-Pin XLR  Length 6.38" / 162 mm  Diameter 2.01" / 51 mm  Sound Field Mono  Cable Length 25' / 7.6 m  Shielding 95% Spiral  Wire Gauge 24 AWG</p>
6	Wireless Microphone	<p>Type of System Rack/Table Top Mountable UHF Diversity Wireless Handheld System  RF Carrier Frequency Range H5: 518 - 542 MHz  Approx. Working Range 300' (100 m)  Overall Frequency Response 45 Hz - 15 kHz, +/- 2 dB  Type of Transmitter SLX2 UHF Handheld  Antenna Type Dual 1/4 wave antennas  Battery Type/Approx. Life (2) AA-size alkaline or rechargeable - approx. 8 hours</p>
2	Wireless Lapel Microphone	<p>Wireless receiver  Body pack transmitter  Microphone  Power supply  Clip  Windscreens  Power and battery status LED  Adjustable gain control  300 feet (91 m) operating range  2 AA batteries required</p>

4	Microphone Stand	Height 26" or up Width 3.5" or up Depth 4" or up Collapsible 25" in height
---	------------------	---

**LIGHTING GEARS AND EFFECTS**

20	RGBW Par LED	Lamp power: 54x3W RGBW LED(12R+18G+18B+6W) Power supply: AC 100-230 V, 50 / 60 Hz Beam angle: 25 (15, 45 optional) Control: DMX 512 / Manual Channels: 8 CRI: >95 Protection Rating: IP 20 Dimensions: W 220 x L 240 x H 335 mm
8	3x54 White Par LED	Light Source: LED LED Light Source: RGBW LEDs Type: Projection Lights Lamp Luminous Efficiency(lm/w): 150 CRI (Ra>): 85 Color Temperature(CCT): Cool White Working Temperature(°C):-40 - 45 Beam Angle: 15/45° Emitting Color: RGBW full range
4	Light Stands	Load Capacity 3.3 lb / 1.5 kg Mounting Options 1/4"-20 Male Thread 3/8"-16 Male Thread 5/8" Stud Maximum Working Height 6.2' / 1.9 m Minimum Working Height 19.3" / 49 cm Collapsed Height 19" / 48.3 cm
1	Lights Controller	Power: AC 100- 240V / 50-60Hz Channels: channels: 1024 Mating number of fixtures: 96 Lamps horizontal and vertical exchange: Support Lamps channel inverting output: Support Lamps channel sliding mode switch: Support Graphics Generator: can generate Dimmer, P / T, RGB, CMY, Color, Gobo, Iris, Focus Graphics Graphics can be run at the same time the number: 10 Master Fader: Global, repeat, lighting

**MULTIMEDIA**

<p>1 set</p>	<p>P3 LED Wall</p>	<p>Size 16ft w x 12 h                  Input Digital Video                  Analog RGB/Component Video                  Output Resolution 1024 x 768 @60 HZ                  1 unit Sending Box and Processor                  1 unit Digital Video Switcher                  1 unit Laptop (for video playback)                  1 unit 10-channel analog mixer                  1 lot cables, extensions, power                  4 units 4x4 ft non-slip panels (for LEDwall riser)                  1 3 units Frames                  10 units Legs and footing                  1 lot black cloth</p>
--------------	--------------------	---

<p>1 set</p>	<p>P3 LED Wall</p>	<p>Size 9ft w x 12 h                  Input Digital Video                  Analog RGB/Component Video                  Output Resolution 1024 x 768 @60 HZ                  1 unit Sending Box and Processor                  1 unit Digital Video Switcher                  1 unit Laptop (for video playback)                  1 unit 10-channel analog mixer                  1 lot cables, extensions, power                  4 units 4x4 ft non-slip panels (for LEDwall riser)                  1 3 units Frames                  10 units Legs and footing                  1 lot black cloth</p>
--------------	--------------------	--

**I hereby certify to comply and deliver all the above requirements.**

\_\_\_\_\_

**Name of Company/Bidder**                      **Signature Over Printed Name**                      **Date**

**of Representative**

## Omnibus Sworn Statement

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the other:**

*If a sole proprietorship:* I am the sole proprietor of *[Name of Bidder]* with office address at *[address of Bidder]*;

*If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. **Select one, delete the other:**

*If a sole proprietorship:* As the owner and sole proprietor of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to represent it in the bidding for *[Name of the Project]* of the *[Name of the Procuring Entity]*;

*If a partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the *[Name of Bidder]* in the bidding as shown in the attached *[state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture)]*;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. **Select one, delete the rest:**



*If a sole proprietorship:* I am not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

\_\_\_\_\_  
Bidder's Representative/Authorized Signatory

**SUBSCRIBED AND SWORN** to before me this \_\_\_ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No.02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification*

card used], with his/her photograph and signature appearing thereon, with no. \_\_\_\_\_ and his/her \_\_\_\_\_ No. \_\_\_\_\_ issued on \_\_\_\_\_ at \_\_\_\_\_.

Witness my hand and seal this \_\_\_\_ day of [month] [year].

**NAME OF NOTARY PUBLIC**

Serial No. of Commission \_\_\_\_\_  
Notary Public for \_\_\_\_\_ until \_\_\_\_\_  
Roll of Attorneys No. \_\_\_\_\_  
PTR No. \_\_, [date issued], [place issued]  
IBP No. \_\_, [date issued], [place issued]

Doc. No. \_\_\_\_  
Page No. \_\_\_\_  
Book No. \_\_\_\_  
Series of \_\_\_\_