



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF BUDGET AND MANAGEMENT
 GENERAL SOLANO STREET, SAN MIGUEL, MANILA


SUPPLEMENTAL/BID BULLETIN (SBB) NO. 1

This SBB No. 1 dated November 22, 2018 for the Project, “Replacement of Basketball Gym Flooring,” is issued to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of said Documents.

PARTICULARS			CLARIFICATION/AMENDMENTS		
Section VII. Technical Specifications			Section VII. Technical Specifications		
Item	Specification	Bidder's Statement of Compliance	Item	Specification	Bidder's Statement of Compliance
2	INSTALLATION OF NEW BASKETBALL COURT FLOORING		2	INSTALLATION OF NEW BASKETBALL COURT FLOORING	
XXXX			XXXX		
	<i>Specifications:</i> <u>Main Floor</u> •Thickness (Minimum): 22mm xxx			<i>Specifications:</i> <u>Main Floor</u> •Thickness (Minimum): 22mm (THE NEW FLOORING SHOULD BE AT THE SAME LEVEL AS THE EXISTING FINISH FLOOR LINE) •DIMENSION: 16.10m x 18.10m	
			Attached is the Revised Section VII. Technical Specifications		

Other matters:

- The “No Contact Rule” shall be strictly observed. Bidders are not allowed to call or talk to any member of the Bids and Awards Committee, Technical Working Group or Secretariat effective November 29, 2018 right after the opening of bids.
- For guidance and information of all concerned.


RYAN S. LITA
 Director IV
 Vice Chairperson, DBM-BAC

Section VII. Technical Specifications

(Revised)

Bidders must state here either "Comply" or any equivalent term in the column "Bidder's Statement of Compliance" against each of the individual parameters of each "Specification."

Item	Specification	Bidder's Statement of Compliance
1	DEMOLITION WORKS	
	<p>Scope of Work:</p> <ul style="list-style-type: none"> •Removal and hauling of existing basketball court flooring •Clearing, cleaning, and leveling of sub-base flooring 	
2	INSTALLATION OF NEW BASKETBALL COURT FLOORING	
	<p>Scope of Work:</p> <ul style="list-style-type: none"> •Leveling of sub-base concrete floor •Installation of new basketball court flooring per FIBA standard for Levels 1 and 2, and EN 14904:2006 (European Standard for sports flooring) •Painting of court/game lines for basketball, volleyball and 3 badminton game areas •Painting of DBM Logo at the Center of the Court, same size and design as existing •Installation of new analog aluminum threshold for the border of wooden court and concrete floor or equivalent <p>Specifications:</p> <p><u>Main Floor</u></p> <ul style="list-style-type: none"> •Thickness (Minimum): 22mm (The new flooring should be at the same level as the existing finish floor line) •Dimension: 16.10m x 18.10m •Thickness (Minimum): 22mm •Type: Treated solid hardwood boards (termite resistant, water retardant, moisture resistant, fire retardant) compliant with EN 14904:2006 standards •Color: Hevea •Finish: High Gloss, Polyurethane Oil Base Finish with wood sealer •Installation type: Tongue and Groove <p><u>Sub Floor</u></p> <ul style="list-style-type: none"> •Construction: Laminated wood Batten System or equivalent •Termite Resistant •Water Retardant or Marine Wood •Thickness (Minimum): 20mm •With high quality shock pads or equivalent 	

	Warranty for the main floor, subfloor and shock pads (excluding normal wear and tear) is five (5) years	
--	---	--

I hereby certify to comply with all the above Technical Specifications.

Name of Company/Bidder Signature over Printed Name of Representative Date