



REPUBLIC OF THE PHILIPPINES  
**DEPARTMENT OF BUDGET AND MANAGEMENT**  
 GENERAL SOLANO STREET, SAN MIGUEL, MANILA

**SUPPLEMENTAL/BID BULLETIN (SBB) NO. 1**

This SBB No. 1 dated September 24, 2019 for the Project, “**Replacement of Basketball Gym Flooring,**” is issued to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of said Documents.


PARTICULARS			CLARIFICATION/AMENDMENTS		
Technical Specifications			Technical Specifications		
Item	Specification	Bidder's Statement of Compliance	Item	Specification	Bidder's Statement of Compliance
<b>I</b>	<b>DEMOLITION WORKS</b>		<b>I</b>	<b>DEMOLITION WORKS</b>	
	Scope of Works: a. Removal and hauling of existing basketball court flooring within the DBM premises b. Clearing, cleaning, and levelling of sub-base flooring			Scope of Works: a. Removal and hauling of existing basketball court flooring within the DBM premises b. Clearing, cleaning, and levelling of sub-base flooring, <b>IF NECESSARY</b>	
<b>2</b>	<b>INSTALLATION OF NEW BASKETBALL COURT FLOORING</b>		<b>2</b>	<b>INSTALLATION OF NEW BASKETBALL COURT FLOORING</b>	
	Scope of Works: a. Levelling of sub-base concrete floor b. Installation of new basketball court flooring per FIBA standard, Levels 1 or 2 for the playing area c. Permanent Painting of volleyball game lines, three (3) badminton game lines, and FIBA Basketball court lines d. Painting or sticker/decals installation of			Scope of Works: a. Levelling of sub-base concrete floor, <b>IF NECESSARY</b> b. Installation of new basketball court flooring per FIBA standard, Levels 1 or 2 for the playing area c. Permanent Painting of volleyball game lines, three (3) badminton game lines, and FIBA Basketball court lines d. Painting or sticker/decals installation of	

	<p>DBM Logo at the center of the court same size and design as existing, with polyurethane top coat (minimum of two (2) coats)</p> <p>e. Installation of new analok aluminum baseboard on the border of wooden court</p> <p>f. Installation of ramp on exposed edges of the wooden court</p>				<p>DBM Logo at the center of the court same size and design as existing, with polyurethane top coat (minimum of two (2) coats)</p> <p>e. Installation of new analok aluminum baseboard on the border of wooden court</p> <p>f. Installation of ramp on exposed edges of the wooden court</p>		
<b>3</b>	<b>SPECIFICATION</b>			<b>3</b>	<b>SPECIFICATION</b>		
	<p>Main Floor</p> <ul style="list-style-type: none"> <li>• Thickness (Minimum): 20mm</li> <li>• Type: Treated solid hardwood boards (Termite resistant, Water resistant, Moisture Resistant, Fire Resistant) or equivalent</li> <li>• Color: Beech or Maple</li> <li>• Finish: High Gloss, Polyurethane Oil Based Finish with wood sealer</li> <li>• Installation type: Tongue and Groove</li> </ul> <p>Sub Floor</p> <ul style="list-style-type: none"> <li>• Construction: Laminated wood Batten System with high quality shock pads or conical rubber pads</li> </ul> <p>Dimension: •Wall to wall (covering the entire basketball court flooring) •See attached illustration</p>				<p>Main Floor</p> <ul style="list-style-type: none"> <li>• Thickness (Minimum): 20mm</li> <li>• Type: Treated solid hardwood boards (Termite resistant, Water resistant, Moisture Resistant, Fire Resistant) or equivalent</li> <li>• Color: Beech <b>OR</b> Maple <b>OR HEVEA</b></li> <li>• Finish: High Gloss, Polyurethane Oil Based Finish with wood sealer</li> <li>• Installation type: Tongue and Groove</li> <li>• <b>USE SAME TYPE OF WOOD ON ALL INSTALLATION AREA</b></li> </ul> <p>Sub Floor</p> <ul style="list-style-type: none"> <li>• Construction: Laminated wood Batten System <b>OR EQUIVALENT</b> with high quality shock pads or conical rubber pads</li> </ul> <p>Dimension: •Wall to wall (covering the entire basketball court flooring) •See attached illustration</p>		

4	<b>OTHERS:</b>		4	<b>OTHERS:</b>	
	<ul style="list-style-type: none"> <li>Warranty: five (5) years from acceptance, parts and labor, excluding normal wear and tear.</li> </ul>			<ul style="list-style-type: none"> <li>Warranty: five (5) years from acceptance, parts and labor, excluding normal wear and tear.</li> </ul>	
			Attached is the Revised Section VII. Technical Specifications		

**Other matters:**

- The “No Contact Rule” shall be strictly observed. Bidders are not allowed to call or talk to any member of the Bids and Awards Committee, Technical Working Group or Secretariat effective October 1, 2019 right after the opening of bids.
- For guidance and information of all concerned.

  
**ANDREA CELENE M. MAGTALAS**  
*Director IV*  
*Vice Chairperson, DBM-BAC*

# *Section VII. Technical Specifications*

## (Revised)

Bidders must state here either "Comply" or any equivalent term in the column "Bidder's Statement of Compliance" against each of the individual parameters of each "Specification."

Item	Specifications	Bidder's Statement of Compliance
<b>1</b>	<b>DEMOLITION WORKS</b>	
	Scope of Works: <ol style="list-style-type: none"> <li>a. Removal and hauling of existing basketball court flooring within the DBM premises</li> <li>b. Clearing, cleaning, and levelling of sub-base flooring, if necessary</li> </ol>	
<b>2</b>	<b>INSTALLATION OF NEW BASKETBALL COURT FLOORING</b>	
	Scope of Works: <ol style="list-style-type: none"> <li>a. Levelling of sub-base concrete floor, if necessary</li> <li>b. Installation of new basketball court flooring per FIBA standard, Levels 1 or 2 for the playing area</li> <li>c. Permanent Painting of volleyball game lines, three (3) badminton game lines, and FIBA Basketball court lines</li> <li>d. Painting or sticker/decals installation of DBM Logo at the center of the court same size and design as existing, with polyurethane top coat (minimum of two (2) coats)</li> <li>e. Installation of new analog aluminum baseboard on the border of wooden court</li> <li>f. Installation of ramp on exposed edges of the wooden court</li> </ol>	
<b>3</b>	<b>SPECIFICATION</b>	
	Main Floor <ul style="list-style-type: none"> <li>• Thickness (Minimum): 20mm</li> <li>• Type: Treated solid hardwood boards (Termite resistant, Water resistant, Moisture Resistant, Fire Resistant) or equivalent</li> <li>• Color: Beech, Maple or Hevea</li> <li>• Finish: High Gloss, Polyurethane Oil Based Finish with wood sealer</li> <li>• Installation type: Tongue and Groove</li> <li>• Use same type of wood on all installation area</li> </ul> Sub Floor <ul style="list-style-type: none"> <li>• Construction: Laminated wood Batten System or equivalent with high quality shock pads or conical rubber pads</li> </ul> Dimension: <ul style="list-style-type: none"> <li>• Wall to wall (covering the entire basketball court flooring)</li> <li>• See attached illustration</li> </ul>	

4	<b>OTHERS:</b>	
	<ul style="list-style-type: none"> <li>Warranty: five (5) years from acceptance, parts and labor, excluding normal wear and tear.</li> </ul>	

**I hereby certify to comply and deliver all the above requirements.**

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Representative

\_\_\_\_\_  
Date