

REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF BUDGET AND MANAGEMENT
 GENERAL SOLANO STREET, SAN MIGUEL, MANILA

SUPPLEMENTAL/BID BULLETIN (SBB) NO. 2


This SBB No. 2 dated September 3, 2019 for the Project, "Supply, Delivery, Fabrication, Installation, Testing, and Commissioning of Brand New Passenger Elevators for the DBM Central Office," is issued to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of said Documents.

PARTICULARS	CLARIFICATIONS/AMENDMENTS
<p>Section I. Invitation to Bid</p> <p style="text-align: center;">XXXX</p> <p>7. Bids must be duly received by the BAC Secretariat at the address below on or before September 6, 2019, 9:00 a.m. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.</p> <p>Bid opening shall be on September 6, 2019, 9:00 a.m. at the BAC Conference Room, Ground Floor, DBM Building III, General Solano St., San Miguel, Manila. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.</p> <p style="text-align: center;">XXXX</p>	<p>Section I. Invitation to Bid</p> <p style="text-align: center;">XXXX</p> <p>7. Bids must be duly received by the BAC Secretariat at the address below on or before September 6 10, 2019, 9:00 11:00 a.m. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.</p> <p>Bid opening shall be on September 6 10, 2019, 9:00 11:00 a.m. at the BAC Conference Room, Ground Floor, DBM Building III, General Solano St., San Miguel, Manila. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.</p> <p style="text-align: center;">XXXX</p>
<p>Section III. Bid Data Sheet</p> <p style="text-align: center;">XXXX</p> <p>17.1 Bids will be valid until January 4, 2020.</p> <p style="text-align: center;">XXXX</p> <p>18.2 The bid security shall be valid until January 4, 2020.</p> <p style="text-align: center;">XXXX</p> <p>21. xxx</p> <p style="padding-left: 40px;">The deadline for submission of bids is September 6, 2019, 9:00 a.m.</p> <p>24.1 xxx</p> <p style="padding-left: 40px;">The date and time of bid opening is September 6, 2019, 9:00 a.m.</p> <p style="text-align: center;">XXXX</p>	<p>Section III. Bid Data Sheet</p> <p style="text-align: center;">XXXX</p> <p>17.1 Bids will be valid until January 4 8, 2020.</p> <p style="text-align: center;">XXXX</p> <p>18.2 The bid security shall be valid until January 4 8, 2020.</p> <p style="text-align: center;">XXXX</p> <p>21. xxx</p> <p style="padding-left: 40px;">The deadline for submission of bids is September 6 10, 2019, 9:00 11:00 a.m.</p> <p>24.1 xxx</p> <p style="padding-left: 40px;">The date and time of bid opening is September 6 10, 2019, 9:00 11:00 a.m.</p> <p style="text-align: center;">XXXX</p>

	Attached are the Revised Statement of Single Largest Completed Contract which is Similar in Nature and the Revised Statement of all Ongoing Government and Private Contracts Including Contracts Awarded but not yet Started.																
<p align="center">Section VII. Technical Specifications</p> <p align="center">XXXX</p> <table border="1"> <thead> <tr> <th data-bbox="175 533 267 588">Item</th> <th data-bbox="267 533 751 588">Specifications</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="175 588 751 621">XXXX</td> </tr> <tr> <td data-bbox="175 621 267 654">3</td> <td data-bbox="267 621 751 654">ADDITIONAL REQUIREMENTS</td> </tr> <tr> <td colspan="2" data-bbox="175 654 751 909"> <p align="center">XXXX</p> <ul style="list-style-type: none"> Manufacturing company shall be ISO 9001, ISO 14001 certified and ISO 22559-1:2014 or equivalent <p>XXXX</p> </td> </tr> </tbody> </table> <p align="center">XXXX</p>	Item	Specifications	XXXX		3	ADDITIONAL REQUIREMENTS	<p align="center">XXXX</p> <ul style="list-style-type: none"> Manufacturing company shall be ISO 9001, ISO 14001 certified and ISO 22559-1:2014 or equivalent <p>XXXX</p>		<p align="center">Section VII. Technical Specifications</p> <p align="center">XXXX</p> <table border="1"> <thead> <tr> <th data-bbox="802 539 894 595">Item</th> <th data-bbox="894 539 1378 595">Specifications</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="802 595 1378 628">XXXX</td> </tr> <tr> <td data-bbox="802 628 894 661">3</td> <td data-bbox="894 628 1378 661">ADDITIONAL REQUIREMENTS</td> </tr> <tr> <td colspan="2" data-bbox="802 661 1378 1196"> <p align="center">XXXX</p> <ul style="list-style-type: none"> Manufacturing company shall be ISO 9001, ISO 14001 certified and ISO 22559-1:2014 or equivalent The Contractor and the installed elevator shall conform with relevant Philippine laws, rules and regulations on Elevators such as, but not limited to, the following: (1) Occupation Safety and Health Standards particularly Rule 1220: Elevators and Related Equipment; (2) Philippine Electrical Code; (3) Philippine Mechanical Code; (4) Philippine Structural Code <p align="center">XXXX</p> </td> </tr> </tbody> </table> <p align="center">XXXX</p> <p>Attached is the Revised Section VII. Technical Specifications</p>	Item	Specifications	XXXX		3	ADDITIONAL REQUIREMENTS	<p align="center">XXXX</p> <ul style="list-style-type: none"> Manufacturing company shall be ISO 9001, ISO 14001 certified and ISO 22559-1:2014 or equivalent The Contractor and the installed elevator shall conform with relevant Philippine laws, rules and regulations on Elevators such as, but not limited to, the following: (1) Occupation Safety and Health Standards particularly Rule 1220: Elevators and Related Equipment; (2) Philippine Electrical Code; (3) Philippine Mechanical Code; (4) Philippine Structural Code <p align="center">XXXX</p>	
Item	Specifications																
XXXX																	
3	ADDITIONAL REQUIREMENTS																
<p align="center">XXXX</p> <ul style="list-style-type: none"> Manufacturing company shall be ISO 9001, ISO 14001 certified and ISO 22559-1:2014 or equivalent <p>XXXX</p>																	
Item	Specifications																
XXXX																	
3	ADDITIONAL REQUIREMENTS																
<p align="center">XXXX</p> <ul style="list-style-type: none"> Manufacturing company shall be ISO 9001, ISO 14001 certified and ISO 22559-1:2014 or equivalent The Contractor and the installed elevator shall conform with relevant Philippine laws, rules and regulations on Elevators such as, but not limited to, the following: (1) Occupation Safety and Health Standards particularly Rule 1220: Elevators and Related Equipment; (2) Philippine Electrical Code; (3) Philippine Mechanical Code; (4) Philippine Structural Code <p align="center">XXXX</p>																	

Other matters:

- The “No Contact Rule” shall be strictly observed. Bidders are not allowed to call or talk to any member of the Bids and Awards Committee, Technical Working Group or Secretariat effective September 10, 2019 right after the opening of bids.
- For guidance and information of all concerned.


ANDREA CELENE M. MAGTALAS
 Director IV
 Vice Chairperson, DBM-BAC

Section VII. Technical Specifications (Revised)

Bidders must state here either "Comply" or any equivalent term in the column "Bidder's Statement of Compliance" against each of the individual parameters of each "Specification."

Item	Specifications	Bidder's Statement of Compliance																															
1	MATERIALS COMPLIANCE																																
	<p>General Specifications</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Type</td> <td>Passenger Elevator Car</td> </tr> <tr> <td>Quantity</td> <td>Two (2)</td> </tr> <tr> <td>Rated Capacity</td> <td>10 passengers Range: 750 to 820 kilograms</td> </tr> <tr> <td>Model</td> <td>Latest model (but in no case earlier than 2014)</td> </tr> <tr> <td>Speed (m/s)</td> <td>1.0 m/s</td> </tr> <tr> <td>No. of stops</td> <td>Four (4)</td> </tr> <tr> <td>No. of openings</td> <td>Four (4) all front</td> </tr> <tr> <td>Floor designation</td> <td>G, 2, 3, 4</td> </tr> <tr> <td>Travel Height</td> <td rowspan="4">Same as the existing (ocular site visit shall be conducted after the Pre-bid Conference)</td> </tr> <tr> <td>Shaft size</td> </tr> <tr> <td>Over travel distance</td> </tr> <tr> <td>Pit depth</td> </tr> <tr> <td>Drive System</td> <td>Geared/Gearless, provided that no demolition will be done to the existing structure and its integrity will not be affected.</td> </tr> <tr> <td>Control system</td> <td>Duplex System</td> </tr> <tr> <td>Machine room</td> <td>Machine room less</td> </tr> <tr> <td>Power supply</td> <td>230 volts, 3 phase, 50/60Hz</td> </tr> <tr> <td>Power supply accessories</td> <td>Automatic voltage regulator for each car</td> </tr> </table>	Type	Passenger Elevator Car	Quantity	Two (2)	Rated Capacity	10 passengers Range: 750 to 820 kilograms	Model	Latest model (but in no case earlier than 2014)	Speed (m/s)	1.0 m/s	No. of stops	Four (4)	No. of openings	Four (4) all front	Floor designation	G, 2, 3, 4	Travel Height	Same as the existing (ocular site visit shall be conducted after the Pre-bid Conference)	Shaft size	Over travel distance	Pit depth	Drive System	Geared/Gearless, provided that no demolition will be done to the existing structure and its integrity will not be affected.	Control system	Duplex System	Machine room	Machine room less	Power supply	230 volts, 3 phase, 50/60Hz	Power supply accessories	Automatic voltage regulator for each car	
Type	Passenger Elevator Car																																
Quantity	Two (2)																																
Rated Capacity	10 passengers Range: 750 to 820 kilograms																																
Model	Latest model (but in no case earlier than 2014)																																
Speed (m/s)	1.0 m/s																																
No. of stops	Four (4)																																
No. of openings	Four (4) all front																																
Floor designation	G, 2, 3, 4																																
Travel Height	Same as the existing (ocular site visit shall be conducted after the Pre-bid Conference)																																
Shaft size																																	
Over travel distance																																	
Pit depth																																	
Drive System	Geared/Gearless, provided that no demolition will be done to the existing structure and its integrity will not be affected.																																
Control system	Duplex System																																
Machine room	Machine room less																																
Power supply	230 volts, 3 phase, 50/60Hz																																
Power supply accessories	Automatic voltage regulator for each car																																

Counter weight safety gear

Required

Car Lift Specification

Clear car size	
Structural car size	For 10 passengers and which shall fit the existing shaft
Door type	2-panel center opening
Door size	Same as the existing
Door panel	High Gloss Stainless Steel (Glass Door)
Door sill	Extruded hard aluminum
Front wall finishes	Manufacturer standard design subject for the approval of the Administrative Service-General Services Division
Rear wall finishes	
Side wall finishes	
Handrails	35mm round hairline stainless steel on side and rear wall
COP Button	Push button (with braille)
COP's location	One (1) side wall
COP Face plate	Stainless steel (LCD TFT)
Platform decoration	Manufacturer standard design subject for the approval of the Administrative Service-General Services Division
Car ceiling	

Lift Lobby

Landing door panel finishes	High Gloss Stainless Steel
Landing door frame	Extruded hard aluminum
LOP Buttons	Push button (with braille)
LOP faceplate	Stylish stainless steel

Car and Landing Position Indicators

Car position indicator	Light emitted (LCD TFT)
Landing position indicator	Light emitted (LCD TFT)

Special Features

Arrival gong	On-car Filipina (Female Tagalog Voice Recording)
Intercom system	Two-way (Security/Front Desk Connected)
Attendant control	Yes
Reservation/Independent Service	Yes, Car Only
Aluminum Ladder Pit	Yes
Out of service switch	Yes
Emergency power	Yes
Evacuation control	Yes
Self-diagnostic, Self-testing	Yes
Automatic Rescue Device (ARD)	Yes, nearest landing during power outage
CCTV Wiring provisions	Yes

Standard Control Features

Alarm	Yes
Anti-nuisance car call protection	Yes (double tap to cancel)
Automatic return to main floor	No homing
Main Floor	Yes
Door final timer	Yes with alarm

	Door pre-opening	Yes (with chime sound)
	Emergency light in car	Yes, fully recessed
	Light curtain	Yes
	Full load by-pass	Yes

2	SCOPE OF WORKS
----------	-----------------------

- | | |
|--|---|
| | <ul style="list-style-type: none"> • Mobilization • Removal/dismantling of existing elevator parts and accessories, as necessary. Hauling site shall be provided by the AS-GSD within the DBM Procurement Service premises • Installation of new elevators, all parts and accessories • Construction of elevator facade • Includes all civil, electrical and mechanical works • Includes all materials and restoration works • Testing and Commissioning |
|--|---|

3	ADDITIONAL REQUIREMENTS
----------	--------------------------------

- | | |
|--|--|
| | <ul style="list-style-type: none"> • Brand of elevator should be in the Philippine market for 10 years. As such, the bidder shall submit, during post qualification, the company profile of the elevator manufacturer/designer • Bidders shall comply with existing Philippine laws, rules and regulations pertinent to elevators • Manufacturing company shall be ISO 9001, ISO 14001 certified • The Contractor and the installed elevator shall conform with relevant Philippine laws, rules and regulations on Elevators such as, but not limited to, the following: (1) Occupation Safety and Health Standards particularly Rule 1220: Elevators and Related Equipment; (2) Philippine Electrical Code; (3) Philippine Mechanical Code; (4) Philippine Structural Code • Bidders should be accredited distributor and installer of elevators. • No drilling shall be made on the floors. • Post tensioned slab shall not be damaged in any way. In case of damage, the contractor shall be held liable for all the damages incurred as a result thereof. • Supplier shall apply for, process, secure all necessary permits pertaining to elevators, such as, but not limited to, Permit to Operate. • Upon completion of the Project, the contractor shall submit to the AS the following documents: <ul style="list-style-type: none"> 1. 3 sets of duly signed and sealed as-built plans of the elevators approved by the proper regulating government body; |
|--|--|

	2. All necessary Permits issued by the City Building Official, such as, but not limited to, Permit to Operate	
4	OTHERS:	
	<ul style="list-style-type: none"> • Warranty: one (1) year for workmanship and 5 years for the motor • Includes monthly preventive maintenance for 12 months from the acceptance of the Project. As such, the retention fee shall only be released 1 year after the date of completion and acceptance. • Repair and replacement of defective parts/unit shall be made by the Supplier within twenty-four (24) hours upon receipt of written or verbal notice from the AS-GSD. 	

I hereby certify to comply with all the above Technical Specifications.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

**Statement of Single Largest Completed Contract
which is Similar in Nature**
(indicate only one)
(Revised)

Business Name: _____
Business Address: _____

Name of Client/Contact Person/Contact Number/Contact Email Address	Date of the Contract	Kinds of Goods	Amount of Contract	Date of Delivery	End User's Acceptance or Official Receipt(s) Issued for the Contract

Submitted by : _____
(Printed Name and Signature)

Designation : _____

Date : _____

Instructions:

- a. Cut-off date is September 10, 2019.
- b. Similar contract shall refer to Supply, Delivery, Fabrication, Installation, Testing, and Commissioning of Brand New Passenger Elevators.

**Statement of all Ongoing Government and Private Contracts Including
Contracts Awarded but not yet Started
(Revised)**

Business Name: _____
Business Address: _____

Name of Client/Contact Person/Contact Number/Contact Email Address	Date of the Contract	Kinds of Goods	Value of Outstanding Contracts	Date of Delivery
<u>Government</u>				
<u>Private</u>				

Submitted by : _____
(Printed Name and Signature)
Designation : _____
Date : _____

Instructions:

- i. State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project being bid) prior to September 10, 2019.
- ii. If there is no ongoing contract including those awarded but not yet started as of the aforementioned period, state none or equivalent term.
- iii. The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC).