



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF BUDGET AND MANAGEMENT
 GENERAL SOLANO STREET, SAN MIGUEL, MANILA

SUPPLEMENTAL/BID BULLETIN (SBB) NO. 1

This SBB No. 1 dated May 18, 2022 for **Project ID No. DBM-2022-35, “Procurement of Motor Vehicles,”** is issued pursuant to Section 22.5 of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of the Bidding Documents.

PARTICULARS	AMENDMENTS/CLARIFICATIONS
<p>Section VII. Technical Specifications</p> <p>Annex “A” Detailed Technical Specifications</p> <p style="text-align: center;">xxx</p> <p>3.1 Fourteen (14) Units of Multi-Purpose Vehicles (MPV)</p> <p style="text-align: center;">xxx</p> <p>3.1.3 Chassis</p> <p style="text-align: center;">xxx</p> <p>3.1.3.2 Double Wishbone with Stabilizer Front Suspension and Rigid Axle with Leaf Spring rear Suspension</p> <p style="text-align: center;">xxx</p> <p>3.2 Six (6) Units of Multi-Purpose Vehicles (MPV)</p> <p style="text-align: center;">xxx</p> <p>3.2.3 Chassis</p> <p style="text-align: center;">xxx</p>	<p>Section VII. Technical Specifications</p> <p>Annex “A” Detailed Technical Specifications (REVISED)</p> <p style="text-align: center;">xxx</p> <p>3.1 Fourteen (14) Units of Multi-Purpose Vehicles (MPV)</p> <p style="text-align: center;">xxx</p> <p>3.1.3 Chassis</p> <p style="text-align: center;">xxx</p> <p>3.1.3.2 Double Wishbone with Stabilizer Front Suspension and Rigid Axle with Leaf Spring rear Suspension</p> <p style="text-align: center;">INDEPENDENT, DOUBLE WISHBONE WITH COIL SPRING AND 4-LINK WITH COIL SPRING</p> <p style="text-align: center;">xxx</p> <p>3.2 Six (6) Units of Multi-Purpose Vehicles (MPV)</p> <p style="text-align: center;">xxx</p> <p>3.2.3 Chassis</p> <p style="text-align: center;">xxx</p>

<p>3.2.3.2 Double Wishbone with Stabilizer Front Suspension and Rigid Axle with Leaf Spring rear Suspension</p> <p>xxx</p>	<p>3.2.3.2 Double Wishbone with Stabilizer Front Suspension and Rigid Axle with Leaf Spring rear Suspension</p> <p>INDEPENDENT, DOUBLE WISHBONE WITH COIL SPRING AND 4-LINK WITH COIL SPRING</p> <p>xxx</p>
	<p>Note:</p> <p><u>Attached is the Annex “A” Detailed Technical Specifications (Revised) which should be used as part of the Bidding Documents to be submitted by the bidders.</u></p>
<p>Queries:</p> <ol style="list-style-type: none"> 1. Would it be possible for the Procurement of Motor Vehicles to be on a by lot basis? 2. Relative to item 3.3.3 of Annex A, would it be possible to consider the bidder’s chassis specifications or its manufacturer’s standard for the Passenger Vans? 	<p>Clarifications:</p> <ol style="list-style-type: none"> 1. No. The approved budget for the contract is for the whole project and, due to economic efficiency, the DBM shall retain the procurement of the motor vehicles in one lot only. 2. The specifications of the chassis of the passenger vans are indicated in item 3.3.3 of Annex A (Detailed Technical Specifications) (Revised) of Section VII. Technical Specifications of the Bidding Documents.

Other matters:

- The “No Contact Rule” shall be strictly observed. Bidders are not allowed to communicate with any member of the Bids and Awards Committee, Technical Working Group or Secretariat effective May 25, 2022 right after the opening of bids.
- For guidance and information of all concerned.

CLARITO ALEJANDRO D. MAGSINO
Assistant Secretary
Chairperson, DBM-BAC

**Detailed Technical Specifications
(Revised)**

1.0 Project Title

Procurement of Motor Vehicles

2.0 Objective

To replace units in the existing fleet of motor vehicles of the DBM Central Office.

3.0 Vehicle Requirements

3.1 Fourteen (14) Units of Multi-Purpose Vehicles (MPV)

3.1.1 Description

- 3.1.1.1 Four-wheel enclosed vehicle with dual side doors and a fifth rear door of lift-up tailgate
- 3.1.1.2 Minimum seating capacity of 8 passengers, including the driver, with two (2) rows of rear seats. The back rear seats should be foldable, which can be used for luggage

3.1.2 Engine

- 3.1.2.1 Diesel Engine displacement not exceeding 2800 cc
- 3.1.2.2 4 Cylinder, In-Line, 16 Valve Type of Engine DOHC
- 3.1.2.3 Max Output or Power 160-175/3400-3600
- 3.1.2.4 Max Torque 340-360/1200-3500
- 3.1.2.5 Manual Transmission
- 3.1.2.6 40 to 60 Liters Fuel Tank Capacity

3.1.3 Chassis

- 3.1.3.1 Ventilated discs brake for front and drum brake for rear
- 3.1.3.2 Independent, Double Wishbone with Coil Spring and 4-link with Coil Spring
- 3.1.3.3 205/65 R16 Tire size, manufactured within 12 months prior to delivery
- 3.1.3.4 16" alloy rim
- 3.1.3.5 Power Steering

3.1.4 Functions/Features

- 3.1.4.1 Dual Air-conditioning System

- 3.1.4.2 Manufacturer's standard automatic/powered features/functionalities
- 3.1.4.3 Keyless entry
- 3.1.4.4 Drive Mode: Eco + Power mode
- 3.1.4.5 Power window: (Driver) Auto Up/Down + Jam protect
- 3.1.5 Safety
 - 3.1.5.1 Compliant with safety standards under existing law, rules and regulations
 - 3.1.5.2 Manufacturer's standard safety features and accessories
 - 3.1.5.3 SRS Airbag: Driver + Front passenger + Knee (driver)
 - 3.1.5.4 Anti-lock Brake System
 - 3.1.5.5 Hill-start Assist Control
 - 3.1.5.6 Seatbelts for all seats
- 3.1.6 Other Accessories
 - 3.1.6.1 Factory Rust Proofing, Tint (windows and upper portion visor), Carpet Matting, Seat Cover, Warranty Booklet Case, Manual, Carwash with Body Wax, Complete Set of Tools, Jack with Handle, Early Warning Devices, Side Visor and Brand-New Step Board
- 3.1.7 Inclusions
 - 3.1.7.1 Free Labor Charge on 1000-km and 5000-km periodic maintenance checkups or up to six (6) months, whichever comes first
- 3.1.8 Color
 - 3.1.8.1 Black/Silver/Gray/Brown
- 3.1.9 Manufacturer's Warranty
 - 3.1.9.1 Three (3) years or 100,000 kms., whichever comes first, including materials used, labor/workmanship, and roadworthiness
- 3.1.10 After Sales Service
 - 3.1.10.1 The Supplier should have an accredited service center in Metro Manila.
 - 3.1.10.2 The Supplier shall provide periodic maintenance services to the motor vehicles for three (3) years or until 100,000 km check,

whichever comes first. The cost of the maintenance service shall be paid by the DBM, subject to budgeting, accounting, auditing, and procurement rules and regulations.

3.2 Six (6) Units of Multi-Purpose Vehicles (MPV)

3.2.1 Description

- 3.2.1.1 Four-wheel enclosed vehicle with dual side doors and a fifth rear door of lift-up tailgate
- 3.2.1.2 Minimum seating capacity of 8 passengers, including the driver, with two (2) rows of rear seats. The back rear seats should be foldable, which can be used for luggage

3.2.2 Engine

- 3.2.2.1 Diesel Engine displacement not exceeding 2800 cc
- 3.2.2.2 4 Cylinder, In-Line, 16 Valve Type of Engine DOHC
- 3.2.2.3 Max Output or Power 160-175/3400-3600
- 3.2.2.4 Max Torque 340-360/1200-3500
- 3.2.2.5 Automatic Transmission
- 3.2.2.6 40 to 60 Liters Fuel Tank Capacity

3.2.3 Chassis

- 3.2.3.1 Ventilated discs brake for front and drum brake for rear
- 3.2.3.2 Independent, Double Wishbone with Coil Spring and 4-link with Coil Spring
- 3.2.3.3 205/65 R16 Tire size, manufactured within 12 months prior to delivery
- 3.2.3.4 16" alloy rim
- 3.2.3.5 Power Steering

3.2.4 Functions/Features

- 3.2.4.1 Dual Air-conditioning System
- 3.2.4.2 Manufacturer's standard automatic/powered features/functionalities
- 3.2.4.3 Keyless entry
- 3.2.4.4 Drive Mode: Eco + Power mode
- 3.2.4.5 Power window: (Driver) Auto Up/Down + Jam protect

- 3.2.5 Safety
 - 3.2.5.1 Compliant with safety standards under existing law, rules and regulations
 - 3.2.5.2 Manufacturer's standard safety features and accessories
 - 3.2.5.3 SRS Airbag: Driver + Front passenger + Knee (driver)
 - 3.2.5.4 Anti-lock Brake System
 - 3.2.5.5 Hill-start Assist Control
 - 3.2.5.6 Seatbelts for all seats

- 3.2.6 Other Accessories
 - 3.2.6.1 Factory Rust Proofing, Tint (windows and upper portion visor), Carpet Matting, Seat Cover, Warranty Booklet Case, Manual, Carwash with Body Wax, Complete Set of Tools, Jack with Handle, Early Warning Devices, Side Visor and Brand-New Step Board

- 3.2.7 Inclusions
 - 3.2.7.1 Free Labor Charge on 1000-km and 5000-km periodic maintenance checkups or up to six (6) months, whichever comes first

- 3.2.8 Color
 - 3.2.8.1 Black/Silver/Gray/Brown

- 3.2.9 Manufacturer's Warranty
 - 3.2.9.1 Three (3) years or 100,000 kms., whichever comes first, including materials used, labor/workmanship, and roadworthiness

- 3.2.10 After Sales Service
 - 3.2.10.1 The Supplier should have an accredited service center in Metro Manila.
 - 3.2.10.2 The Supplier shall provide periodic maintenance services to the motor vehicles for three (3) years or until 100,000 km check, whichever comes first. The cost of the maintenance service shall be paid by the DBM, subject to budgeting, accounting, auditing, and procurement rules and regulations.

3.3 Nine (9) Units of Passenger Vans

3.3.1 Description

- 3.3.1.1 Large four-wheel enclosed vehicle intended for conveying passengers, traditionally having four (4) or five (5) doors [two (2) side doors for the driver and the front passenger, one (1) or two (2) passenger side sliding doors, and one (1) tailgate]
- 3.3.1.2 Minimum seating capacity of 15 passengers, including the driver; front facing
- 3.3.1.3 Folding back rear seats, which can be used for luggage, cargoes, etc.

3.3.2 Engine

- 3.3.2.1 Diesel Engine displacement not exceeding 3000 cc
- 3.3.2.2 4 Cylinder, L-Type, 16 Valve DOHC Type of Engine
- 3.3.2.3 Max Output or Power: 129-136/3200-3400
- 3.3.2.4 Max Torque 300-360/2000-2400
- 3.3.2.5 5-Speed Manual Transmission
- 3.3.2.6 60 to 70 Liters Fuel Tank Capacity

3.3.3 Chassis

- 3.3.3.1 Ventilated discs brake for front and drum brake for rear
- 3.3.3.2 Double Wishbone with Stabilizer Front Suspension and Rigid Axle with Leaf Spring rear Suspension
- 3.3.3.3 195 R15 Tire size with 4 pcs Hubcap, manufactured 12 months prior to delivery
- 3.3.3.4 15” Steel Rim
- 3.3.3.5 Power Steering

3.3.4 Functions/Features

- 3.3.4.1 Dual Air-conditioning System
- 3.3.4.2 Manufacturer’s standard automatic/powered features/functionalities

3.3.5 Safety

- 3.3.5.1 Compliant with safety standards under existing law, rules and regulations
- 3.3.5.2 Manufacturer’s standard safety features and accessories
- 3.3.5.3 SRS Airbag: Driver and Passenger
- 3.3.5.4 Door ajar warning
- 3.3.5.5 Key left/lights off reminder

3.3.6 Other Accessories

3.3.6.1 Factory Rush Proofing, Tint (windows and upper portion visor), Carpet Matting, Seat Cover, Warranty Booklet Case, Carwash with Body Wax, Complete Set of Tools, Jack and Manuals and Early Warning Device (EWD)

3.3.7 Inclusions

3.3.7.1 Free Labor Charge on 1000-km and 5000-km periodic maintenance checkups or up to six (6) months, whichever comes first

3.3.8 Color

3.3.8.1 White/Silver/Gray

3.3.9 Manufacturer's Warranty

3.3.9.1 Three (3) years or 100,000 kms., whichever comes first, including materials used, labor/workmanship, and roadworthiness

3.3.10 After Sales Service

3.3.10.1 The Supplier should have an accredited service center in Metro Manila.

3.3.10.2 The Supplier shall provide periodic maintenance services to the motor vehicles for three (3) years or until 100,000 km check, whichever comes first. The cost of the maintenance service shall be paid by the DBM, subject to budgeting, accounting, auditing, and procurement rules and regulations.

4.0 Delivery

4.1 The Supplier shall deliver the twenty-nine (29) units of motor vehicles (20 MPVs and 9 passenger vans) to the DBM Administrative Service (AS) within one hundred-twenty (120) calendar days upon receipt of the Notice to Proceed, inclusive of:

4.1.1 Insurance for the twenty-nine (29) units of vehicles:

One (1) year Third Party Liability (TPL) Insurance Certificate of Cover and Policy and one (1) year Comprehensive Insurance Policy from the Government Service Insurance System (GSIS)

4.1.2 Registration for the twenty-nine (29) units of vehicles:

Official Receipt and Certificate of Registration (OR/CR) from the Land Transportation Office (LTO) for three (3) years (under the name of the Department of Budget and Management)

- 4.2 The DBM AS shall inspect the twenty-nine (29) units of vehicles in the Supplier's vehicle depot, prior to the acquisition of insurance and the registration of the vehicles.
- 4.3 It is understood that the DBM will only accept the motor vehicles upon complete delivery of all the above-mentioned requirements. The DBM reserves the right not to accept a vehicle if found with defect, damage, or scratch upon complete delivery and submission of all the requirements.